

# CM Series

系列



<20A 12V/24V Auto 自动识别  
>30A 12V/24V/48V Optional 可选

50V System voltage 系统电压  
100V System voltage 系统电压

## 功能介绍

Function introduction



全面保护  
Protections



电池种类可选  
Battery type



工作参数可调  
Parameters adjustable



LCD显示  
LCD display



USB 输出  
USB Output



温度补偿  
Temperature compensation



# 产品规格

## Product specification



安装孔距— $\varnothing 5$   
Mounting hole Size



CM20D

额定电压	额定充电电流	产品尺寸	Rated Voltage	Rated Charge Current	Product size
12V/24V 自动识别	10A/20A	162×88×35mm	12V/24V Auto	10A/20A	162×88×35mm




CM30

额定电压	额定充电电流	USB输出	产品尺寸	Rated Voltage	USB port	Rated Charge Current	Product size
12V/24V/48V 可选	30A	2A/5V×2	187×93×49mm	12V/24V/48V Optional	2A/5V×2	30A	187×93×49mm



CM60

额定电压	额定充电电流	USB输出	产品尺寸	Rated Voltage	USB port	Rated Charge Current	Product size
12V/24V/48V 可选	50A/60A	2A/5V×2	188×130×61 mm	12V/24V/48V Optional	2A/5V×2	50A	188×130×61 mm



CM80

额定电压	额定充电电流	产品尺寸	Rated Voltage	Rated Charge Current	Product size
12V/24V/48V 可选	80A	193×188×89mm	12V/24V/48V Optional	80A	193×188×89mm

# 包装信息

## Packaging information



### CM20D

基本参数/Speci/cation	10A-20A
每箱数量/Set/Carton	50PCS
每箱重量/Weight/Carton	13.7Kg
包装尺寸/Measurement	500×365×225mm
外箱体积/Volume/Carton	0.04CBM



### CM30

基本参数/Speci/cation	30A
每箱数量/Set/Carton	30PCS
每箱重量/Weight/Carton	10.5Kg
包装尺寸/Measurement	405×315×325mm
外箱体积/Volume/Carton	0.04CBM



### CM60

基本参数/Speci/cation	50A-60A
每箱数量/Set/Carton	24PCS
每箱重量/Weight/Carton	18.7Kg
包装尺寸/Measurement	475×435×390mm
外箱体积/Volume/Carton	0.08CBM



### CM80

基本参数/Speci/cation	80A
每箱数量/Set/Carton	20PCS
每箱重量/Weight/Carton	19.8Kg
包装尺寸/Measurement	595×490×430mm
外箱体积/Volume/Carton	0.13CBM

